# **Specification Sheet**

USB3.0 Flash Drive Handy Steno AH351





#### Apacer Technology Inc.

4<sup>th</sup> Fl., 75 Xintai 5<sup>th</sup> Rd., Sec.1, Hsichih, Taipei Hsien 221, Taiwan Tel: +886-2-2698-2888 Fax: +886-2-2698-2889 www.apacer.com

### **Table of Contents**

1. Product Introduction	3
2. Product Feature	3
3. Specification	4
4. Physical Dimension	
5. Revision History	

#### 1. Product Introduction

Apacer makes all-out efforts to push the on-the-rise USB interface by launching AH351 flash drive that features Super Speed USB 3.0. Since USB 3.0 is poised to go mainstream, to give more users the access to accelerated read/write speed, Apacer offers this brand new AH351 that boasts a trendy look, compact profile, and super speed transmission at budget-friendly prices. AH351 is also backward compatible with USB 2.0, making it the prime choice today when the USB standard is evolving into a new one!

The environmentally friendly AH350 also meets the RoHS criteria and provides a lifetime warranty. In terms of compatibility, it is fully compatible with Windows 7 and is able to run great with the latest computer. In addition, the Apacer USB flash drive


#### 2. Feature

- SuperSpeed USB3.0 and backwards compatible with Hi-speed USB 2.0 interface
- Retractable USB connector- Capless design
- Easy plug & play
- USB powered. No external power or battery required
- RoHS compliant

## 3. Specification

Specifications	
Interface	Super Speed USB 3.0, backwards compatible with USB
	2.0 & 1.1
Device Interface	USB 3.0 interface: up to 5Gbit/second
Transfer Rate	USB 2.0 interface: up to 480Mbit/second
Power supply	USB bus powered
	No external power required
Power consumption	115mA (max.)
Operating Systems	Windows XP/ Vista/ 7 & Kernel 2.6.33 or above without
Supported	device drive (Support USB3.0)
	Mac OS 10.4 or later (Support USB2.0)
Capacity	8GB, 16GB & 32GB
Operating Temperature	0° C to +60° C (32° F to 140° F)
Storage Temperature	-20° C to +60° C (-4° F to +140° F)
Dimensions	(L)67.5 x (W)21.7x (H)8.3mm
Weight	12g
Certificate	CE, FCC, BSMI, C-Tick

## 4. Physical Dimension







## 5. Revision History

Revision No	History	Date	Remarks
1.0	Official Release	August, 2011	